

vista cam700

Wireless Indoor Camera


This indoor, high definition, Wi-Fi camera is compact, easy to install, and ideal for any home or small business security system. With a 720p HD picture, built-in infrared illumination up to 16 feet, and built-in microphone, you can keep an eye on — and hear what's happening in — your living room, nursery, entryway, and more day or night. The VistaCam 700 also doubles as a

motion detector, enabling useful home automation features such as turning on a hallway light to 30% when motion is detected after dark. The VistaCam 700 includes a sturdy, swivel mount base for easy adjustment, single-button pairing for simple setup, and fits seamlessly with any decor.




Key Features

HD Excellent Image Quality with 720p (1280 x 720) Resolution

 Dual Video Streaming (H.264, M-JPEG) for High-Quality Videos

3G Compatible with Mobile Phone 3GPP Live Video Streaming

 Built-in Infrared LED for Night Time Illumination

 802.11n/b/g Wireless Connectivity

Specs

Software

Application

Internet Explorer 7 or later,
Firefox 3, Google Chrome,
Safari 4

Sensor & Lens

Image Sensor

1/3" CMOS Sensor

Minimum Illumination

0 Lux (with IR LED)

Lens

Type: Fix Focus Lens

Aperture: F1.8

Diagonal View Angle: 81°

Video

Video Compression

H.264 Main Profile, M-JPEG

Video Streaming

Simultaneous H.264 and
M-JPEG, 3GPP Compatible

Image Settings

Contrast

WDR

Auto Exposure

Brightness

Sharpness

White Balance

Manual Flicker

Network

Processors and Memory

Processor: ARM926 500MHz

NAND Flash: 16MB

RAM: 256MB

Connector

RJ-45 for Ethernet

DC Power Jack

Microphone

Built-in: - 40 dB + 3dB

Alarm & Event Management

Alarm and Event Management

Motion Detection, FTP,
HTTP Notification, Email
Notification

Specs

Hardware

Processors and Memory

Processor: ARM926 500MHz
NAND Flash: 16MB
RAM: 256MB

Connector

RJ-45 for Ethernet
DC Power Jack

Microphone

Built-in: - 40 dB + 3dB

LEDs & Buttons

2-color LEDs for Power
Network and Wireless /
RSSI
Reset (with WPS Function)
Power, Network / Wireless,
Heater

Power Adapter

Input: 100-240 VAC, 50-60Hz
Output: 12VDC, 1A

Environment Accessories

Operation

Temperature: 32° - 104°F
(0° - 40°C)
Humidity: 0% - 80% RH
(non-condensing)

Storage

Temperature: -4° - 158°F
(-20° - 70°C)
Humidity: 0% - 90% RH
(non-condensing)

Accessories

Power Supply
(12V / 1A, 100 - 240V),
Stand

Details

Front



Back

